

10/542315

JC17 Rec'd PCT/PTO 13 JUL 2005

In the Claims:

1. (original) A fragrance composition comprising water, a fragrance material, a liquid crystal-forming material containing at least one fatty alcohol having at least 22 carbon atoms, and a reinforcing material.
2. (original) A fragrance composition according to claim 1 wherein the reinforcing material is selected from organic amphiphilic materials, organic hydrophilic materials, hydrophobic materials, inorganic materials and mixtures thereof.
3. (original) A fragrance composition according to claim 2 wherein the amphiphilic material is selected from at least one of
  - i) surfactants; graft and block copolymers, preferably poly(ethylene-b-ethylene oxide), more preferably poly(ethylene-b-ethylene oxide) having a ethylene oxide level preferably lower than 80% and a molecular weight lower than 2500 g/mol; poly(styrene-b-ethylene oxide); and poly(dimethylsiloxane-g-ethylene oxide,
  - ii) gelatine, preferably gelatine having a Bloom Strength higher than 250; and
  - iii) pectin.
4. (original) A fragrance composition according to claim 2 wherein the hydrophilic organic reinforcing material is selected from at least one of acrylamide, preferably acrylamide crosslinked with N,N-bisacrylamide; N-alkylacrylamide; poly((meth)-acrylic acid-co-alkyl acrylate) copolymers; copolymers containing poly(acrylamide), poly(vinylalcohol), or poly(alkyleneoxide)moieties; and alginates crosslinked with polyvalent metal ions.
5. (original) A fragrance composition according to claim 2 wherein the hydrophobic reinforcing material is selected from at least one of partially- crystallisable polyolefins, preferably partially-crystallisable polyethylene having a molecular

weight lower than 10'000 g/mol; block and graft copolymers; poly(ethylene-co-dimethylsiloxane) block and graft copolymers; highly-crosslinked silicone resins; polysesquiosiloxanes; hydrophobically-modified silicates and amino-silicates; heat- or UV-curable polymers bearing a heat- or light-activated cross-linkable function; and ethyl cellulose having Ubbelohde solution viscosities higher than 50 mPas when dissolved at 5% in toluene / methanol at 80/20 by weight and 25 °C.

6. (original) A fragrance composition according to claim 2 wherein the inorganic reinforcing material is selected from at least one silica-containing compound, preferably at least one of an alkylsilane, an alkoxysilane and sodium silicate combined with a salt of a polyvalent metal ion, preferably sodium silicate combined with calcium.

7. (currently amended) A fragrance composition according to claim 1 ~~any of the preceding claims~~ wherein the liquid crystal-forming material is a mixture of non-ionic surfactant and at least one long chain fatty alcohol having at least 16 carbon atoms, at least one of which alcohols has at least 22 carbon atoms, the non-ionic surfactant being preferably selected from

I) alkylglycosides or alkylpolyololides bearing alkyl chains having at least 20 carbons atoms;

II) alkylpolysorbates bearing alkyl chains longer than 18 carbon atoms; and

III) ethoxylated fatty esters with alkyl residue having at least 18 carbon atoms;

and

the alcohol having at least 22 carbon atoms being preferably selected from fatty alcohols having a narrow molecular weight distribution such that at least 90% of this fatty alcohol consists of a single fatty acid residue.

8. (currently amended) A fragrance composition according to claim 1 ~~any of the preceding claims~~ in the form of an aqueous dispersion of particles, the particles containing liquid crystalline structures.
9. (currently amended) A fragrance composition according to claim 1 ~~any of the preceding claims~~ wherein it exhibits a plateau region of the store elastic modulus of higher than  $10^3$  Pa, as measured on a Paar Physica Rheometer MCR 300 fitted with a cone-plate measuring unit and operating in the oscillating mode, with a cone-plate measuring unit CP25-2 having the characteristics: shear rate factor:  $3 \text{ s}^{-1}/\text{min}^{-1}$ , shear stress factor: 12.223 Pa, sample volume:  $0.16 \text{ cm}^3$ , radius of measuring cone: 12.5 mm, angle of measuring cone:  $2^\circ$ , cone truncation: 50 micrometers.
10. (currently amended) A fragrance composition according to claim 1 ~~any one of the preceding claims~~ wherein the composition has a liquid crystalline phase with a periodicity length, as measured by X-ray diffraction of between 30 and 120, preferably between 40 and 60 Angstroms.
11. (currently amended) A fragrance composition according to claim 1 ~~any one of the preceding claims~~ wherein the composition exhibits at least one melting transition at a temperature higher than  $50^\circ\text{C}$
12. (currently amended) Household product comprising a composition according to claim 1 ~~any one of claims 1-11~~.
13. (currently amended) Personal care product comprising a composition according to claim 1 ~~any one of claims 1-11~~.